

eiQ-CRFC18K Technical Specification

Internal Unit			
Capacity	Cooling Capacity	Btu/h	19260-18000-6120
		kW	5.6-5.3-1.8
	Heating Capacity	Btu/h	20800-20000-4800
		kW	6.1-6.0-1.4
Electrical	Power Supply	V~,Hz,Ph	220-240, 50, 1
Performance	SEER	W/W	6.1
	Energy Rate	Cooling	A++
	SCOP	W/W	4.0
	Energy Rate	Heating	A+
	Tol	°C	-15.0
	Air Flow Volume	m³/h	800 / 710 / 560
	Indoor Sound Power Noise Level dB(A)	dB(A)	59
	Noise Level dB(A)	Hi/Med/Low	46 / 42 / 38
Dimension, Weight &	Net Dimension (mm)	Body (WxHxD)	570x260x570
		Panel (WxHxD)	647x50x647
	Net Weight (kg)	Body	18
		Panel	3
	Packing Dimension (mm)	Body (WxHxD)	655x290x655
		Panel (WxHxD)	705x113x705
	Gross Weight (kg)	Body	21
		Panel	5
Piping Sizes	Piping Size (mm)	Liquid	Ø 6.35(1/4")
		Gas	Ø 12.7(1/2")
		Drainage	ODØ 25

External Unit			
Capacity	Cooling Capacity	Btu/h	18000
		kW	5.3
	Heating Capacity	Btu/h	20000
		kW	6
Electrical	Power Supply	V~,Hz,Ph	220-240, 50, 1
	Air Flow Volume	m³/h	2570
	Noise Level	dB(A)	51
Dimension & Weight	Net Dimension (mm)	WxHxD	760x590x285
	Net Weight	kg	30
	Packing Dim (mm)	WxHxD	887x645x355
	Gross Weight	kg	35
Piping Size	Liquid Size	mm	Ø 6.35(1/4")
	Gas Size	mm	Ø 12.7(1/2")
	Max pipe Length	m	25
	Max height difference	m	15